

Materials



Stainless Steel A2
ISO 8752

Fasteners Slotted Spring Pins

DISCOUNTS

1 - 29	List Price
30-49	-15%
50-99	-30%
100-199	-50%
200-999	-60%
1000+	-65%

Extended Diameter
(Before Insertion)



PART NUMBER	Diameter			L	Recommended Hole Size		Material Thickness	Min. Double Shear Strength (kN)	Price Each 1-29
	Nom	Min	Max		Min	Max			
HPCSPSS1-5	1	1.2	1.3	5	1.0	1.1	0.2	0.4	£0.10
HPCSPSS1-10	1	1.2	1.3	10	1.0	1.1	0.2	0.4	£0.10
HPCSPSS1-20	1	1.2	1.3	20	1.0	1.1	0.2	0.4	£0.10
HPCSPSS1.5-5	1.5	1.7	1.8	5	1.5	1.6	0.3	0.98	£0.10
HPCSPSS1.5-6	1.5	1.7	1.8	6	1.5	1.6	0.3	0.98	£0.10
HPCSPSS1.5-8	1.5	1.7	1.8	8	1.5	1.6	0.3	0.98	£0.11
HPCSPSS1.5-10	1.5	1.7	1.8	10	1.5	1.6	0.3	0.98	£0.12
HPCSPSS1.5-12	1.5	1.7	1.8	12	1.5	1.6	0.3	0.98	£0.12
HPCSPSS1.5-14	1.5	1.7	1.8	14	1.5	1.6	0.3	0.98	£0.12
HPCSPSS1.5-16	1.5	1.7	1.8	16	1.5	1.6	0.3	0.98	£0.12
HPCSPSS1.5-18	1.5	1.7	1.8	18	1.5	1.6	0.3	0.98	£0.13
HPCSPSS1.5-20	1.5	1.7	1.8	20	1.5	1.6	0.3	0.98	£0.13
HPCSPSS1.5-24	1.5	1.7	1.8	24	1.5	1.6	0.3	0.98	£0.22
HPCSPSS2-4	2	2.3	2.4	4	2.0	2.1	0.4	1.81	£0.10
HPCSPSS2-5	2	2.3	2.4	5	2.0	2.1	0.4	1.81	£0.11
HPCSPSS2-6	2	2.3	2.4	6	2.0	2.1	0.4	1.81	£0.11
HPCSPSS2-8	2	2.3	2.4	8	2.0	2.1	0.4	1.81	£0.12
HPCSPSS2-10	2	2.3	2.4	10	2.0	2.1	0.4	1.81	£0.12
HPCSPSS2-12	2	2.3	2.4	12	2.0	2.1	0.4	1.81	£0.13
HPCSPSS2-14	2	2.3	2.4	14	2.0	2.1	0.4	1.81	£0.13
HPCSPSS2-16	2	2.3	2.4	16	2.0	2.1	0.4	1.81	£0.13
HPCSPSS2-18	2	2.3	2.4	18	2.0	2.1	0.4	1.81	£0.13
HPCSPSS2-20	2	2.3	2.4	20	2.0	2.1	0.4	1.81	£0.15
HPCSPSS2-22	2	2.3	2.4	22	2.0	2.1	0.4	1.81	£0.15

Fasteners Slotted Spring Pins



PART NUMBER	Diameter			L	Recommended Hole Size		Material Thickness	Min. Double Shear Strength (kN)	Price Each 1-29
	Nom	Min	Max		Min	Max			
HPCSPSS2-24	2	2.3	2.4	24	2.0	2.1	0.4	1.81	£0.16
HPCSPSS2-26	2	2.3	2.4	26	2.0	2.1	0.4	1.81	£0.17
HPCSPSS2-30	2	2.3	2.4	30	2.0	2.1	0.4	1.81	£0.19
HPCSPSS2.5-5	2.5	2.8	2.9	5	2.5	2.6	0.5	2.84	£0.15
HPCSPSS2.5-6	2.5	2.8	2.9	6	2.5	2.6	0.5	2.84	£0.15
HPCSPSS2.5-8	2.5	2.8	2.9	8	2.5	2.6	0.5	2.84	£0.15
HPCSPSS2.5-10	2.5	2.8	2.9	10	2.5	2.6	0.5	2.84	£0.15
HPCSPSS2.5-12	2.5	2.8	2.9	12	2.5	2.6	0.5	2.84	£0.15
HPCSPSS2.5-14	2.5	2.8	2.9	14	2.5	2.6	0.5	2.84	£0.17
HPCSPSS2.5-16	2.5	2.8	2.9	16	2.5	2.6	0.5	2.84	£0.17
HPCSPSS2.5-18	2.5	2.8	2.9	18	2.5	2.6	0.5	2.84	£0.19
HPCSPSS2.5-20	2.5	2.8	2.9	20	2.5	2.6	0.5	2.84	£0.19
HPCSPSS2.5-22	2.5	2.8	2.9	22	2.5	2.6	0.5	2.84	£0.20
HPCSPSS2.5-24	2.5	2.8	2.9	24	2.5	2.6	0.5	2.84	£0.22
HPCSPSS2.5-26	2.5	2.8	2.9	26	2.5	2.6	0.5	2.84	£0.22
HPCSPSS2.5-30	2.5	2.8	2.9	30	2.5	2.6	0.5	2.84	£0.22
HPCSPSS3-5	3	3.3	3.5	5	3.0	3.1	0.6	4.07	£0.13
HPCSPSS3-6	3	3.3	3.5	6	3.0	3.1	0.6	4.07	£0.15
HPCSPSS3-8	3	3.3	3.5	8	3.0	3.1	0.6	4.07	£0.16
HPCSPSS3-10	3	3.3	3.5	10	3.0	3.1	0.6	4.07	£0.16
HPCSPSS3-12	3	3.3	3.5	12	3.0	3.1	0.6	4.07	£0.17
HPCSPSS3-14	3	3.3	3.5	14	3.0	3.1	0.6	4.07	£0.17
HPCSPSS3-16	3	3.3	3.5	16	3.0	3.1	0.6	4.07	£0.18
HPCSPSS3-18	3	3.3	3.5	18	3.0	3.1	0.6	4.07	£0.19
HPCSPSS3-20	3	3.3	3.5	20	3.0	3.1	0.6	4.07	£0.22
HPCSPSS3-22	3	3.3	3.5	22	3.0	3.1	0.6	4.07	£0.24
HPCSPSS3-24	3	3.3	3.5	24	3.0	3.1	0.6	4.07	£0.25
HPCSPSS3-26	3	3.3	3.5	26	3.0	3.1	0.6	4.07	£0.26
HPCSPSS3-28	3	3.3	3.5	28	3.0	3.1	0.6	4.07	£0.29
HPCSPSS3-30	3	3.3	3.5	30	3.0	3.1	0.6	4.07	£0.30
HPCSPSS3-35	3	3.3	3.5	35	3.0	3.1	0.6	4.07	£0.33

PART NUMBER	Diameter			L	Recommended Hole Size		Material Thickness	Min. Double Shear Strength (kN)	Price Each 1-29
	Nom	Min	Max		Min	Max			
HPCSPSS3-40	3	3.3	3.5	40	3.0	3.1	0.6	4.07	£0.35
HPCSPSS3-45	3	3.3	3.5	45	3.0	3.1	0.6	4.07	£0.51
HPCSPSS3-50	3	3.3	3.5	50	3.0	3.1	0.6	4.07	£0.53
HPCSPSS3.5-6	3.5	3.8	4.0	6	3.5	3.62	0.7	5.80	£0.42
HPCSPSS3.5-14	3.5	3.8	4.0	14	3.5	3.62	0.7	5.80	£0.53
HPCSPSS3.5-18	3.5	3.8	4.0	18	3.5	3.62	0.7	5.80	£0.59
HPCSPSS3.5-30	3.5	3.8	4.0	30	3.5	3.62	0.7	5.80	£0.82
HPCSPSS4-6	4	4.4	4.6	6	4.0	4.12	0.8	7.25	£0.15
HPCSPSS4-8	4	4.4	4.6	8	4.0	4.12	0.8	7.25	£0.17
HPCSPSS4-10	4	4.4	4.6	10	4.0	4.12	0.8	7.25	£0.19
HPCSPSS4-12	4	4.4	4.6	12	4.0	4.12	0.8	7.25	£0.24
HPCSPSS4-14	4	4.4	4.6	14	4.0	4.12	0.8	7.25	£0.26
HPCSPSS4-16	4	4.4	4.6	16	4.0	4.12	0.8	7.25	£0.29
HPCSPSS4-18	4	4.4	4.6	18	4.0	4.12	0.8	7.25	£0.32
HPCSPSS4-20	4	4.4	4.6	20	4.0	4.12	0.8	7.25	£0.33
HPCSPSS4-22	4	4.4	4.6	22	4.0	4.12	0.8	7.25	£0.37
HPCSPSS4-24	4	4.4	4.6	24	4.0	4.12	0.8	7.25	£0.41
HPCSPSS4-26	4	4.4	4.6	26	4.0	4.12	0.8	7.25	£0.46
HPCSPSS4-28	4	4.4	4.6	28	4.0	4.12	0.8	7.25	£0.48
HPCSPSS4-30	4	4.4	4.6	30	4.0	4.12	0.8	7.25	£0.52
HPCSPSS4-35	4	4.4	4.6	35	4.0	4.12	0.8	7.25	£0.58
HPCSPSS4-40	4	4.4	4.6	40	4.0	4.12	0.8	7.25	£0.63
HPCSPSS4-45	4	4.4	4.6	45	4.0	4.12	0.8	7.25	£0.70
HPCSPSS4-50	4	4.4	4.6	50	4.0	4.12	0.8	7.25	£0.76
HPCSPSS4-60	4	4.4	4.6	60	4.0	4.12	0.8	7.25	£1.10
HPCSPSS5-10	5	5.4	5.6	10	5.0	5.12	1	10.75	£0.26
HPCSPSS5-12	5	5.4	5.6	12	5.0	5.12	1	10.75	£0.33
HPCSPSS5-14	5	5.4	5.6	14	5.0	5.12	1	10.75	£0.39
HPCSPSS5-16	5	5.4	5.6	16	5.0	5.12	1	10.75	£0.44
HPCSPSS5-18	5	5.4	5.6	18	5.0	5.12	1	10.75	£0.48
HPCSPSS5-20	5	5.4	5.6	20	5.0	5.12	1	10.75	£0.53
HPCSPSS5-22	5	5.4	5.6	22	5.0	5.12	1	10.75	£0.58
HPCSPSS5-24	5	5.4	5.6	24	5.0	5.12	1	10.75	£0.62
HPCSPSS5-26	5	5.4	5.6	26	5.0	5.12	1	10.75	£0.67
HPCSPSS5-28	5	5.4	5.6	28	5.0	5.12	1	10.75	£0.74
HPCSPSS5-30	5	5.4	5.6	30	5.0	5.12	1	10.75	£0.76
HPCSPSS5-35	5	5.4	5.6	35	5.0	5.12	1	10.75	£0.88
HPCSPSS5-40	5	5.4	5.6	40	5.0	5.12	1	10.75	£0.97

PART NUMBER	Diameter			L	Recommended Hole Size		Material Thickness	Min. Double Shear Strength (kN)	Price Each 1-29
	Nom	Min	Max		Min	Max			
HPCSPSS5-45	5	5.4	5.6	45	5.0	5.12	1	10.75	£1.06
HPCSPSS5-50	5	5.4	5.6	50	5.0	5.12	1	10.75	£1.17
HPCSPSS5-60	5	5.4	5.6	60	5.0	5.12	1	10.75	£2.18
HPCSPSS5-70	5	5.4	5.6	70	5.0	5.12	1	10.75	£2.83
HPCSPSS5-80	5	5.4	5.6	80	5.0	5.12	1	10.75	£3.10
HPCSPSS6-10	6	6.4	6.7	10	6.0	6.12	1.2	16.17	£0.39
HPCSPSS6-12	6	6.4	6.7	12	6.0	6.12	1.2	16.17	£0.49
HPCSPSS6-14	6	6.4	6.7	14	6.0	6.12	1.2	16.17	£0.55
HPCSPSS6-16	6	6.4	6.7	16	6.0	6.12	1.2	16.17	£0.61
HPCSPSS6-18	6	6.4	6.7	18	6.0	6.12	1.2	16.17	£0.67
HPCSPSS6-20	6	6.4	6.7	20	6.0	6.12	1.2	16.17	£0.74
HPCSPSS6-22	6	6.4	6.7	22	6.0	6.12	1.2	16.17	£0.82
HPCSPSS6-24	6	6.4	6.7	24	6.0	6.12	1.2	16.17	£0.88
HPCSPSS6-26	6	6.4	6.7	26	6.0	6.12	1.2	16.17	£0.95
HPCSPSS6-28	6	6.4	6.7	28	6.0	6.12	1.2	16.17	£1.00
HPCSPSS6-30	6	6.4	6.7	30	6.0	6.12	1.2	16.17	£1.06
HPCSPSS6-35	6	6.4	6.7	35	6.0	6.12	1.2	16.17	£1.25
HPCSPSS6-40	6	6.4	6.7	40	6.0	6.12	1.2	16.17	£1.41
HPCSPSS6-45	6	6.4	6.7	45	6.0	6.12	1.2	16.17	£1.53
HPCSPSS6-50	6	6.4	6.7	50	6.0	6.12	1.2	16.17	£1.65
HPCSPSS6-55	6	6.4	6.7	55	6.0	6.12	1.2	16.17	£1.65
HPCSPSS6-60	6	6.4	6.7	60	6.0	6.12	1.2	16.17	£1.65
HPCSPSS6-65	6	6.4	6.7	65	6.0	6.12	1.2	16.17	£2.25
HPCSPSS6-70	6	6.4	6.7	70	6.0	6.12	1.2	16.17	£2.25
HPCSPSS6-75	6	6.4	6.7	75	6.0	6.12	1.2	16.17	£2.25
HPCSPSS6-80	6	6.4	6.7	80	6.0	6.12	1.2	16.17	£2.25
HPCSPSS8-10	8	8.5	8.8	10	8.0	8.15	1.5	26.46	£0.66
HPCSPSS8-14	8	8.5	8.8	14	8.0	8.15	1.5	26.46	£0.90
HPCSPSS8-16	8	8.5	8.8	16	8.0	8.15	1.5	26.46	£0.90
HPCSPSS8-20	8	8.5	8.8	20	8.0	8.15	1.5	26.46	£1.09
HPCSPSS8-22	8	8.5	8.8	22	8.0	8.15	1.5	26.46	£1.17

